

# carevix




Model	EXX-1A
Max Airflow	6000M <sup>3</sup> /H
Effective Area	20-25M <sup>2</sup>
Rated Voltage/Frequency	220-240V,50Hz/60Hz
Power	110W
Weight	12KG
Water Capacity	33L
Water Consumption	2-3L/H
Noise	50/54/58
Dimension	500*365*975MM



Model	CCC-2A
Max Airflow	7000M <sup>3</sup> /H
Effective Area	30-40M <sup>2</sup>
Rated Voltage/Frequency	220-240V,50Hz/60Hz
Power	230W
Weight	18KG
Water Capacity	45L
Water Consumption	3-4L/H
Noise	53/57/61
Dimension	680*425*1050MM

L&L

Mobile Evaporative Air Cooler




Model	CTT-2B
Max Airflow	7500M <sup>3</sup> /H
Effective Area	30-40M <sup>2</sup>
Rated Voltage/Frequency	220-240V,50Hz/60Hz
Power	230W
Weight	13.9KG
Water Capacity	50L
Water Consumption	3-4L/H
Noise	53/57/61
Dimension	615*420*1020MM

Model	NTE-1B
Max Airflow	12000M <sup>3</sup> /H
Effective Area	50-60M <sup>2</sup>
Rated Voltage/Frequency	220-240V,50Hz/60Hz
Power	340W
Weight	32.5KG
Water Capacity	60L
Water Consumption	4-6L/H
Noise	53/58/63
Dimension	885*490*1400MM

L&L

Mobile Evaporative Air Cooler



Model	NNA-1A
Max Airflow	9000M <sup>3</sup> /H
Effective Area	40-50M <sup>2</sup>
Rated Voltage/Frequency	220-240V,50Hz/60Hz
Power	310W
Weight	32KG
Water Capacity	60L
Water Consumption	4-6L/H
Noise	53/58/63
Dimension	885*490*1400MM



Model	XSH-2A
Max Airflow	15000M <sup>3</sup> /H
Effective Area	80-100M <sup>2</sup>
Rated Voltage/Frequency	220-240V,50Hz/60Hz
Power	440W
Weight	43KG
Water Capacity	70L
Water Consumption	8-10L/H
Noise	56/60/65
Dimension	925*580*1440MM