























Model: CLCAB001 Standard Features:

• Reflective warning labels, reflect light when illuminated by a flashlight, and has high visibility even in the case of fire or blackout





MSDS



Anti-Static Device,



c Device, ●FM Fusible Link,



Self-closing Device,



shelves

Unique anti-overflow



Fireproof Vent(Inner View)



Bung cap on Fireproof • Vent (Out View)



Door latch handle with a 2-lock system, enhance the security



High-quality cylinder latch



 3M reflective warning label





SAAB®FM Standard Safety

Cabinets have earned the CE Certification, and meet the OSHA 29 CER 1910.106 standard set by the United States Occupation safety and Health Administration(OSHA), the NFPA CODE30 standard set by the American National Fire Protection Association(NFPA) as well as the Regulations on the Safety Administration of Dangerous Chemicals set by China State Administration of Work Safety. According to U.S. FM standard, proven by a rigorous test, after a 10-minute combustion,

Prdouct Package





Product Size

Capacity (Gal/L)	Approval	Internal Dimension (H*W*D/mm)	External Dimension (H*W*D/mm)	Packing Dimension (H*W*D/mm)	Adjustable shelves(pcs)	_			Door Tyng	Model
45/170	FM, CE	1550*1006*377	1650*1092*457	1820*1200*570	2	100	128	153	Double door, Manual	CL0045Y
45/170							134	159	Double door, Self-closing	CL2045Y



Front View













Left View











Inner View



CL0004Y

54/204

FM, CE

1550*514*790



1650*600*870

CL0010Y



CL 0012Y

1840*700*970



131

133

100

160

162



Shelf Internal External **Packing Adjustable** loading N.W. G.W. Capacity Approval Dimension Dimension Dimension **Door Type** Model (Gal/L) shelves(pcs) weight (kgs) (kgs) (H*W*D/mm) (H*W*D/mm) (H*W*D/mm) (Kgs.) 26 37 Single door, Manual **CL0004Y** 4/15 460*344*350 560*430*430 720*530*530 FM, CE 1 50 27 Single door, Self-closing CL 2004Y 48 61 Single door, Manual **CL0010Y** 10/38 FM, CE 540*504*520 640*590*600 820*690*690 1 50 49 62 Single door, Self-closing CL2010Y 49 Single door, Manual **CL0012Y** 67 12/45 790*504*380 890*590*460 1080*700*570 FM, CE 1 50 47 Single door, Self-closing **CL2012Y** 69 CL0022Y 82 102 Single door, Manual 22/83 FM, CE 1550*514*380 1650*600*460 1820*700*570 3 50 84 Single door, Self-closing CL2022Y

3

CL0054Y

CL2054Y

Single door, Manual

Single door, Self-closing



Front View



CL0030Y



CL2045Y



CL0060Y



CL0090Y

Left View



CL0030Y



CL2045Y



CL0060Y



CL0090Y

Inner View



CL0030Y



CL2045Y



CL0060Y



CL0090Y

Capacity (Gal/L)	Approval	Internal Dimension (H*W*D/mm)	External Dimension (H*W*D/mm)	Packing Dimension (H*W*D/mm)	Adjustable shelves(pcs)	Shelf loading weight (Kgs.)			Door Type	Model
30/114	FM, CE	1017*1006*377	1117*1092*457	1300*1200*570	1	100	86	110	Double door, Manual	CL0030Y
30/114							91	115	Double door, Self-closing	CL2030Y
45/170	FM, CE	1550*1006*377	1650*1092*457	1820*1200*570	2	100	128	153	Double door, Manual	CL0045Y
45/170	FIVI, CE						134	159	Double door, Self-closing	CL2045Y
60/227	FM, CE	1550*777*783	1650*863*863	1820*960*960	2	100	150	179	Double door, Manual	CL0060Y
00/22/							157	186	Double door, Self-closing	CL2060Y
90/340	EM CE	1550*1006*783	1650*1092*863	1820*1200*960	2	100	181	215	Double door, Manual	CL0090Y
50/340	FM, CE						187	221	Double door, Self-closing	CL2090Y



Front View



CL0055Y



CL0110Y



CL0115Y

Left View



CL0055Y



CL0110Y



CL0115Y

Inner View



CL0055Y



CL0110Y



CL0115Y

	pacity Gal/L)	Approval		External Dimension (H*W*D/mm)	Packing Dimension (H*W*D/mm)	Adjustable shelves(pcs)		Shelf loading weight (Kgs.)			Door Type	Model
5.	5/207	FM, CE	1550*777*783	1650*863*863	1820*960*960	1	1	100	175	204	Double door, Manual	CL0055Y
11	0/415	FM, CE	1550*1413*783	1650*1499*863	1820*1620*980	1	2	100	253	295	Double door, Manual	CL0110Y
11	15/434	FM, CE	1550*1413*783	1650*1499*863	1820*1620*980	2(Left) 1(Right)	1	100	249	291	Double door, Manual	CL0115Y



SAAB[®] 气瓶网状柜,用于存放 LPG 气瓶和压缩气瓶,同时符合美国消防协会 NFPA 58 和职业安全与健康协会 OSHA1910.11 的规范。根据不同的存储要求,可以安全有效的解决室内外气瓶的存储。其外形坚固,分体组装,方便运输。

SAAB ^e gas cylinder mesh cabinet for storing LPG cylinders and compressed gas cylinders, in compliance with the American Fire Protection Association NFPA 58 and Occupational Safety and Health Association OS-HA1910.11. According to different storage requirements, the storage of indoor and outdoor cylinders can be safely and effectively solved. Which is robust and, separately assembling, easy to transport.



CL4004



CL2004



CL2008



CL4008



CL6009



CL2016



CL4016



CL6018



CL6089

Product Size

Capacity	External Dimension (H*W*D/mm)	Packing Dimension (H*W*D/mm)	Adjustable shelves(pcs)	Adjustable Chain (strip)	Door Type	Model
for 200 spray cans	990*780*760	1160*880*860	1	/	Single door, Manual	CL2004
for 400 spray cans	1920*780*760	2090*880*860	3	/	Single door, Manual	CL2008
for 800 spray cans	1920*1520*760	2090*1620*860	6	/	Double door, Manual	CL2016
for 4 LPG gas cylinders	990*780*760	1160*880*860	/	1	Single door, Manual	CL4004
for 8 LPG gas cylinders	1920*780*760	2090*880*860	1	2	Single door, Manual	CL4008
for 16 gas cylinders	1920*1520*760	2090*1620*860	2	4	Double door, Manual	CL4016
for 9 compressed gas cylinders	1920*780*760	2090*880*860	/	2	Single door, Manual	CL6009
for 18 compressed gas cylinders	1920*1520*760	2090*880*860	/	4	Double door, Manual	CL6018
for 8 LPG gas cylinders &9 compressed gas cylinders	1920*1520*760	2090*880*860	1	4	Double door, Manual	CL6089